

**PLANT WATER-WISE
INDIGENOUS**

**AND NOT DESTRUCTIVE
ALIEN INVASIVES!**



**PLANT WATERBESPARENDE
INHEEMSE**

**EN NIE VERWOESTENDE
VREEMDE INDRINGERS NIE!**

LOWVELD CLUSTERLEAF / STERKBOS
Terminalia prunioides

Restricted to dry woodlands. Small compact branches curved, flowers catkin like, and white, followed in midsummer by the deep maroon fruit. The two winged fruit remains on tree until midwinter.

Tref alleenlik aan in droë, bebosde gebiede. Klein, kompakte vorm met gebuigde takke. Blomme is wit en verander in die somer tot vrugte met 'n diepbruinrooi kleur. Die tweevlerkige vrugte bly aan die boom tot die middel van die winter.



Photo: Lukas Otto

MOUNTAIN ALOE / BERGALWYN
Aloe marlothii

Large robust aloe common in the inland summer rainfall areas. Up to four metres in height. Flowers midwinter on horizontal branches with flowers facing upwards. Brilliant red/ orange flowers.

Groot, sterk aalwyn in die binnelandse somerreënvalgebiede. Hoogte kan strek tot 4 meters. Helder rooi/oranje blomme wat opwaarts neig verskyn in die middel van die winter op horisontale takke.



Photo: Lukas Otto

WEeping BOER-BEAN / HUILBOERBOON
Scotia brachypetalia

Large majestic tree with a spreading crown. Dark green leaves form dense canopy, thinning a little in winter. In spring the tree becomes covered in red flowers which produce copious amounts of nectar. Excellent insect and bird tree.

Groot opvallende boom met 'n spreierende kroon. Donker groen looform 'n digte kroon wat effens verdun in die winter. In die lente word die boom oortrek met rooi blomme wat baie nektar afskei. Uitstekende boom om insekte en voëls te lok.



Photo: Lukas Otto

WEeping BRIDES BUSH / TREURBRUIDSBOS
Pavetta lanceolata

Upright shrub with glossy leaves that have typical bacterial nodes. Flowers in mid-summer and the sweet-scented white flowers cover the bush.

Pragtige struik met blink donker groen blare. Massas klein wit blommetjies oortrek die plant in die somer. Swart bessies volg hierop en voëls geniet die bessies terdeë. Dit groei van saad en redelik maklik van lote.



Photo: Lukas Otto

LANTANA
Lantana camara

White prickly stems. Rough dark leaves. Pink and yellow flowers. Ripe seeds black in mulberry-like clusters. Cut to 10 cm. Treat with Chopper or Hatchet.

Wit, stekelrige stamme. Skurwe donker blare. Pienk en geel blomme. Swart sade in moerbeivormige trossies gerangskik wanneer ryp. Bestryding: Sny tot 10cm bo grond af. Behandel met Chopper of Hatchet.



Photo: Lukas Otto

SISAL / GARINGBOOM
Agave sisalana

Green to grey-green thick, tough leaves with sides smooth and thorny and with sharp tip. Reproduce by small plants on large stalk or suckers. Cut into heart. Spray liberally with MSMA.

Groen tot grysgroen dik, stywe blare met gladde en doringrige kante en skerp aan die bopunt. Plant voort deur middel van suiers of klein plantjies aan die stingel. Bestryding: Sny tot in die kroon en sprei deeglik met MSMA.



Photo: Lukas Otto

QUEEN OF THE NIGHT / NAGBLOM
Cereus jamacaru

Tall, cactus-like succulent. Dark green to blue-green, deep grooves with star shaped thorns. No milky latex. Cut 3 deep cuts into each stem and spray MSMA into each cut.

Hoë, kaktusagtige vetplant. Donkergroen tot blougroen, diepgeriffelde, doringrige keël. Vrugte pienkrooi. Geen melksap. Bestryding: Sny drie kepe in elke stam en sprei met MSMA in elke snit.



Photo: Kay Montgomery

TRIFFID WEED / PARAFFIENBOS
Chromolaena odorata

Thin, floppy, light green, diamond-shaped leaves smelling like paraffin. Tiny white flowers. Highly flammable. Uproot completely or cut to 10 cm. Spray with Chopper or Hatchet.

Dun, slap, liggroen diamantvormige blare wat die reuk van paraffien het. Klein wit blomme. Hoogs ontvlambaar. Bestryding: Trek uit met wortel en tak of sny tot by 10 cm vanaf grond en sprei met Chopper of Hatchet.




Photo: Lukas Otto

BUSHVELD GARDENIA / TRANSVAAL KATJIEPIERING
Gardenia volkensii

Chunky in build with solid mass of branches. Flowers trumpet-shaped, white sweetly scented. Leaves glossy, dark green bunched in whorls of three at branch tips. Fruit round pale grey and ribbed on surface and remains on the tree for months.

Bonkig gebou met digte takmassa. Blomme is wit, soetgeurig en trompetvormig. Blare is blink en donkergroen, gedra in kranse van drie aan die punte van die takke. Vrugte is rond en ruffelrig op die oppervlakte en bly aan die boom vir maande.



Photo: Lukas Otto

DWARF CORAL / DWERG KORAALBOOM
Erythrina humeana

Smallest of the family. Brilliant red flowers in summer. Glossy green leaves. Thorny stems and branches. Seed pods open when ripe and show red seed.

Kleinste van familie. Helderrooi blomme in die somer met blinkgroen blare. Die stam en die takke is doringagtig. Die peule met rooi saad gaan oop wanneer ryp.



Photo: Lukas Otto

MISTY PLUME BUSH / GEMMERBOS
Tetradenia riparia

Soft wood shrub with large furry leaves. Flowers are small, mauve and prolific in winter. Distinct herby smell when leaves crushed.

Sagtehoutstruik met groot, wollerige blare. Blomme is klein, liggrys en vrugtedraend in die winter met 'n kenmerkende kruidagtige reuk wanneer blare gekneus word.



Photo: Newplant Nursery

PRIDE-OF-DE KAAP / VLAM VAN DIE VLAKTE
Bauhinia galpinii

Rampant shrub with brick-red flowers and spoon-shaped petals. Leaves partially cleft. Mostly evergreen, thinning in bitter winters. Flowering lasts for over six months. Lowveld-inhabitant.

Welige struik met baksteenrooi blomme, waarvan die kroonblare lepelvormig is. Die blare is gedeeltelik gesplete. Gewoonlik immergroen, verloor van die blare onder uitsonderlike koue toestande. Blomtydperk strek oor ses maande. Laeveldse boomsoort.



Photo: Lukas Otto

AUSTRALIAN PEST PEAR / SUURTURKSVY
Opuntia stricta

Bluish-green, flattened, modified succulent oval stems with thorns. Bright yellow flowers. Ripe fruit reddish-purple. Use Cochineal Bug bio-control.

Blouerige groen, plat gemodifiseerde vetplantagtige ovale stamme met dorings. Heldergeel blomme met rooipers vrugte wanneer ryp. Bestryding: Gebruik Cochenille-luis as biologiese onkruidbeheermaatreël.




Photo: L. Henderson

CHRIST THORN / CHRISTUSDORING
Euphorbia splendens

Low-growing prickly succulent. Poisonous white latex. Dig out, bury in deep hole

Laaggroeiende, stekelrige vetplant. Giftige, klewerige melksap. Bestryding: Spit uit en begrawe in diep gat.



DONKEY'S EARS / DONKIE-ORE
Kalanchoe beharensis

Velvet grey-green triangular leaves. Pull out or cut stem. Cut up and spray with Chopper or Hatchet.

Fluweelagtige, grysgroen driehoekige blare. Bestryding: Trek uit of sny stam af. Sny op en sprei met plantgif soos Chopper of Hatchet.



DEVIL'S BACKBONE / DUIWEL SE RUGGRAAT
Kalanchoe diagraphmontiana

Succulent with large leaves and chandelier-like red flowers. Remove by roots, burn or bury deeply.

Vetplant met groot blare en kandelaarvormige, rooi blomme. Bestryding: Verwyder wortel en tak, verbrand of begrawe in diep gat.



TREE WISTERIA / VANWYKSHOUT
Bolusanthus speciosus

Tall, narrow deciduous tree with lovely glossy leaves on drooping branches. Flowers produced in spring - deep bluish-mauve and followed by numerous seedpods.

Lang skraal bladwisselende boom met pragtige blink blare. Die takke en blare het 'n hangende groeiwyse. Blomme maak hulle verskyning in die lente - 'n diep blou-pers, gevolg deur 'n klomp sade wat vir maande lank aan die boom bly.



Photo: Kay Montgomery

SNUFF BOX / SNUIFKALBASSIE
Oncoba spinosa

Small tree, deciduous, spiny branches. Flowers are large round white with bright yellow centre. Leaves small, shiny and pink flushed in spring. Fruit round but skin is hard, green turning red then black when ripe.

Klein, bladwisselende, doringrige takke. Groot, ronde blomme met heldergeel kroonblare. Blare is klein en blink met 'n blosende pienk kleur in die lente. Vrugte is rond en groen met 'n harde skil wat eers rooi en daarna swart word as dit ryp word.



IMPALA LILY / IMPALALELIE
Adenium multiflorum

A succulent up to 1½ metres high. Thrives in hot and dry areas. Flowers are pink and white and appear in winter when the stems are bare of leaves.

'n Vetplant wat groei tot 1½ meter hoog. Die wit en pink blomme kom op kaal stamme voor in die winter. Dit groei goed in warm, droë gebiede waar ryp nie voorkom nie.



Photo: Lukas Otto

BARBERTON DAISY / BARBERTONSE MADELIEFIE
Gerbera jamesonii

Typical daisy-like, flowers in spring. Colours mostly reds, yellows and pinks. Leaves serrated deep green. Normally found in dry woodlands.

Tipiese madeliefieagtige, rooi, geel en pienk blomme in die lente en die somer. Blare getand en donkergroen. Gewoonlik in droë boswêreld te vinde.




Photo: Newplant Nursery

POTATO CREEPER / AARTAPPELRANKER
Solanum seafortianum

Delicate climbing plant growing to 5m. Bright green, soft and floppy leaves. Purple flowers with yellow centres hang in clusters followed by shiny, red berries which turn black. Remove by the roots or cut 10 cm from ground and paint with Chopper or Hatchet herbicide.

Ranker. Heldergroen, sagte, slap blare. Bosse pers blomme gevolg deur blink rooi bessies. Bestryding: Verwyder wortel of kap op en sprei met Chopper of Hatchet.





Photo: Lukas Otto

QUEEN OF THE NIGHT MUTATION / KONINGIN VAN DIE NAG-MUTASIE
Cereus jamacaru monstrosi

Tall, cactus-like 'lumpy' succulent. NO MILKY LATEX. Dark green to blue-green with ridges and thorns. 3 cuts per stem and spray MSMA into each cut.

Hoë kaktusagtige, knobbelrige vetplant. Geen melksap. Donkergroen tot blougroen met doringrige riwwe. Bestryding: Sny drie kepe in elke stam en sprei MSMA in elke snit.



MOTHER OF THOUSANDS / KANDELAARPLANT
Bryophyllum delagoense

Succulent. Grey-green, tube-shaped with dark spots. Orange-red trumpet-shaped flowers forming chandeliers at top of the stalks. Pull out. Burn every piece as it re-grows from the tiny bits.

Vetplant. Grysgroen, tuitvormig met donker vlekke, oranje-rooi trompetvormige blomme wat soos 'n kandelaar aan die bo-punt van die stok vertoon. Bestryding: Trek plant uit. Verbrand elke stukkie, aangesien die kleinste stukkie weer voortspruit.



Photo: Kay Montgomery

MADAGASCAR PERIWINKLE / BEGRAAFPLAASBLOM
Catharanthus roseus

Shiny leaves, pink or white flowers. Poisonous. Flowers all the year round. Pull up the plant with all the roots.

Blink blare met pienk of wit blomme. Giftig. Blom dwarsdeur die jaar. Bestryding: Trek met wortel en tak uit.



CORK BUSH / KURKBOS
Mundulea sericea

Small shrubby tree. Thick corky bark, deep fissures. Leaves silvery green, mostly evergreen. Flowers are pea-shaped soft and lilac and hang in large bunches. Seed pods hang on branches for many months.

Klein, struikagtige boom. Dik, kurkagtige bas, diep gegroef. Blare silwergroen, meestal immergroen. Blomme hang in liggers, ertjevormige trosse. Saadpeule hang vir maande aan bome.



Photo: Lukas Otto

BUSH VIOLET / BOSVIOOLTJIE
Baleria obtuse

Sprawling autumn-flowering shrub that grows in full sun. Flowers are a lovely blue. Grows easily from seed and roots itself freely where it touches the ground.

Wydstrekkende struik wat in volsonareas groei. Dra pragtige blou blomme. Groei maklik van saad en ontwikkel gou wortels waar dit met grond in aanraking kom.



Photo: Lukas Otto

LONGTAIL CASSIA / SAMBOKPEUL
Cassia abbreviata

Deciduous tree with round crown and drooping leaves. Flowers in spring while branches bare of leaves. Flowers brilliant yellow. Followed by long, cylindrical seed pods.

Bladwisselende boom met ronde kroon en afhangende blare. Blomtydperk is in lente wanneer boom nog blaarloos is. Blomme is heldergeel, gevolg deur lang silindervormige saadpeule.



SANDPAPER BUSH / SKURWEBLAARBOS
Ehretia amoena

Warm-area plant, usually shrubby with branches growing outwards and downwards. Foliage is sparse. Spring brings white flowers that can cover the bush, always followed by heavy crop of orange, turning black, berries.

Hittebestand. Gewoonlik struikagtig met takke wat uitwaarts asook afwaarts groei. Loof is yl. In die lente word bos bedek met wit blomme wat 'n oes van oranje bessies voortbring. Dit verkleur later tot swart.



Photo: Lukas Otto

IMBRICATE PRICKLY PEAR / KABELTURKSVY
Optunia imbricata

Spiny many-branched succulent. Purple red flowers. Chop and spray with MSMA.

Doringrige, veeltakkige vetplant met rooipers blomme. Bestryding: Kap in stukke en sprei met MSMA.




Photo: Lukas Otto

PARTHENIUM / DEMOINA-BOSSIE
Parthenium hysterophorus

Annual weed. Pale green, hairy leaves. Small white flowers. Skin and respiratory irritant. Pull out before flowering, using gloves.

Eenjarige onkruid. Vaalgroen, harige blare. Klein wit blommetjies. Irriteer vel en asemhalingstelsel. Bestryding: Trek uit voordat blomme ontwikkel. Gebruik handskoene.



YELLOW BELLS / GEELKLOKKIES
Tecoma stans

Bright green shrubby tree. Bright yellow trumpet flowers. Cut stem spray with Chopper or Hatchet or ring bark.

Helderkleurige, groen en struikagtige boom met helderkleurige, geel en trompetvormige blomme. Bestryding: Sny stam af en sprei met Chopper of Hatchet of ringeleer.



Photo: Kay Montgomery

CASTOR OIL / KASTEROLIEBOS
Ricinus communis

Small tree. Large, palmate leaves, red when young. Seed pod red with soft spines. Pull up the root or cut, using Chopper or hatchet on maximum of 10 cm stump.

Klein boompie met groot, palmagtige blare wat rooi vertoon wanneer jonk. Saadpeul rooi met sagte stekels. Bestryding: Trek uit wortel en tak of sny 10 cm vanaf grond en bespuit met Chopper of Hatchet.




Photo: Lukas Otto

WILD PARASOL FLOWER / SAMBREELBOOM
Karomia speciosa

Multistemmed shrub, all branches sweeping upwards. Briefly deciduous in dry winters. Flowers deep violet centre with hat-like surround of pale lilac. Flowers most of the year.



Veelstammige struik met takke wat almal opwaarts groei. Kortstondig bladwisselend in droë winters. Blomme donkerpers in die middel, omring deur hoedvormige ligpers blare. Blom feitlik dwarsdeur die jaar.

PUZZLE BUSH / DEURMEKAARBOS
Ehretia rigida

Soft wood shrub with large furry leaves. Flowers are small, mauve and prolific in winter. Distinct herby smell when leaves crushed.



Photo: Newplant Nursery

Sagtehoutstruik met groot, wollerige blare. Blomme is klein, ligpers en vrugtedraend in die winter met 'n kenmerkende kruiddagtige reuk wanneer blare gekneus word.

YELLOW PISTOL BUSH / GEELPISTOOLBOS
Duvenola aconitiflora

Fast growing rounded shrub. Dark green leaves cover the plant. Flowers are lemon-yellow and appear in summer. Seed pods follow and when ripe, explode open, hence its name.



Vinnigroeiende, ronde struik. Oortrek met donkergroen blare. Suurlemoenkleurige blomme verskyn in die somer. Gevolg deur saadpeule wat oopbars, vandaar die naam.

HAIRY JASMINE / HARIGE JASMYN
Jasminum stenolobum

Scrambling sometimes shrubby creeper. Velvety leaves almost grey-green in colour. Flowers start to appear in spring and stay nearly throughout the year. Shiny black berries appear in winter.



Klouterplant, maar kan ook 'n struikagtige rankplant wees. Fluweelagtige effe grys-groenkleurige blare. Blomtydperk vanaf September tot amper dwarsdeur die jaar. Blink swart bessies verskyn in die winter.

SERINGA / SERINGABOOM
Melia azedarach

Compound serrated leaves, large bunches, small purple flowers followed by mustard coloured berries. Ring-bark, pull out or cut stem and spray with Chopper or Hatchet.




Photo: Kay Montgomery

Saamgestelde, geriffelde blare met groot bondels klein pers blomme gevolg deur mosterdkleurige bessies. Bestryding: Ringeleer, trek uit of sny af en spreï met Chopper of Hatchet.

TORCH CACTUS / TOORTSKAKTUS
Echinopsis spachiana

Multi-stemmed thorny succulent. Erect ribbed, central spine longer than radials. White nocturnal flower. Chop and cover-spray with MSMA.





Photo: Lukas Otto

Veelstammige, doringrige vetplant. Reguit geriffeld, binne-stekel langer as die buitenste speke. Wit blomme wat in die nag oopgaan. Bestryding: Moet opgekap word en met MSMA gespreï word.

SPINY SESBANIA / STEKELSESBANIA
Sesbania bispinosa

Spindly sparse shrub. Small leaves, yellow flowers, red-brown on reverse. Cut stem away and spray with Chopper or Hatchet or pull out.



Stokkerige, enkelstaande struik met klein blare en geel blomme, waarvan die agterkant rooibruin is. Besryding: Sny af en behandel met Chopper of Hatchet of trek uit.

DUTCHMAN'S PIPE / HOLLANDER SE PYP
Aristolochia elegans

Climber. Bright green, heart-shaped, rubbery leaves. Large flower with yellow tube. Small sausage-like seed pods. Hand pull or cut stump to 10cm and spray with Chopper or Hatchet.



Photo: G.R. Nichols

Rankplant. Heldergroen, hartvormige, rubberagtige blare. Groot blomme met geel tuit. Klein, worsagtige peule. Bestryding: Trek uit of sny stam tot 10 cm vanaf grond en spreï met Chopper of Hatchet.

KUDU LILY / KOEDOELELIE
Pahypodlum saundecsii

Deciduous succulent shrub with large swollen stem, bark silvery grey, leaves shiny deep green, flowers white with five petals. Flowering is in early winter. Covered with large sharp spines. Seed pods are two-lobed turning brown when ready to open.

Bladwisselende vetplant met dik, uitgeswelde stam. Bas is silwergrys met donkergroen blink blare. Blomme het vyf kroonblare en is wit. Blom in die vroeë winter. Dit is oortrek met lang, skerp dorings. Die saadpeule is tweelobbig wat bruin word.



Photo: Lukas Otto

CAPE HONEYSUCKLE / KAAPSE KANFERFOELIE
Tecoma capensis

Average sized vigorous shrub with glossy green leaves. Comes in a variety of colours, yellows reds and oranges. Flowers are tubular and flowering is profuse in spring and summer.

Kragtige groeier van gemiddelde grootte met glansryke groen blare. Die blomme is buisagtig en kom milddadig in 'n verskeidenheid van kleure, soos geel, rooi en oranje vanaf die lente tot die somer voor.



Photo: Lukas Otto

FLAME LILY / VLAMLELIE
Gloriosa superba

Trailing and scrambling plant found in hot dry areas. Shiny leaves tapering to a tendril-like tip. Flowers appear through the summer and found in reds and oranges. Plants are poisonous.

Sterk groeiende rank- en klouterplant wat in droë, warm streke voorkom. Blink blare wat dunner word na bo, vanwaar dit voortrank. Die rooi of oranje blomme verskyn in die somer. Die plant is giftig.



Photo: Kay Montgomery

CATERPILLAR BUSH / RUSPERBOONTJIE
Ormocarpum trichocarpum

Stiff scraggly tree with thick corky deeply fissured bark. Leaves are dark green. Flowers are purple, pea-like in shape and appear in late summer. Seed pods are densely furry, covered with golden brown hairs.


Stywe, yl boom of struik met diep gegroefde bas. Blare is donkergroen. Blomme wat laat in die somer verskyn, is boontjievormig en pers van kleur. Saadpeule is baie wollerig, en bedek met goudbruin haartjies.



ROSEA CACTUS / ROSEA-KAKTUS
Optunia fulgida

Succulent, with densely thorny stems. Flowers deep pink. Chop and spray with MSMA, or dig out and burn.

Vetplant met doringrige stamme en donkerpienk blomme. Bestryding: Kap af en sprei met MSMA of spit uit en verbrand.



BALLOON VINE / BLAASKLIMOP
Cardiospermum grandiflorum

Vigorous climber covers trees. Bright green, jagged-edged leaves. Tiny white flowers. Balloon-shaped seed pods.

Energieke ranker wat bome geheel en al bedek. Helder groen, getande blare. Klein wit blommetjies en saadpeule in die vorm van ballonne.




Photo: Lukas Otto

MEXICAN SUNFLOWER / MEKSIKAANSE SONNEBLOM
Tithonia diversifolia

Daisy-like yellow flowers, dark green three to five-finger leaves. Pull out, or cut stem and spray with Chopper or Hatchet

Madeliefieagtige geel blomme. Donkergroen drie- tot vyfvingerblare. Bestryding: Trek uit of kap die stam en sprei met Chopper of Hatchet.



Photo: Lukas Otto

AMERICAN AGAVE / AMERIKAANSE GARINGBOOM
Agave americana

Light grey or grey-green succulent with thick, rubbery and sometimes variegated leaves with thorns every 5 cm with sharp leaf tips. Cut into or remove centre of plant and spray with MSMA.

Liggrys of groengrys vetplant met dik, rubberagtige en soms veelkleurige blare met dorings wat elke 5 cm gespasieer is met skerp punte aan die end van die blaar. Bestryding: Sny tot in kroon of breek kroon uit en sprei met MSMA



Photo: Lukas Otto

WHY ARE ALIEN INVADING PLANTS A PROBLEM?

1. Highly adaptable and vigorous plants with no natural enemies.
2. Will grow in many areas.
3. They use large amounts of water and therefore reduce our available water.
4. Overwhelms our indigenous plants and leads to loss of insects, birds, reptiles and mammals.
5. They invade and destroy lands that could be used for livestock and farming.
6. These plants are often poisonous to humans and animals.
7. Increase the heat and intensity of fires.
8. Increase the risk of erosion and flooding by killing off local bush.

HOEKOM IS VREEMDE INDRINGERPLANTE GEVAARLIK?

Omdat:

1. Hulle is hoogs aanpasbare en energieke plante met geen natuurlike vyande nie.
2. Hulle sal op enige plek floreer.
3. Hulle is baie dorstig en put dus ons beskikbare waterbronne uit.
4. Hulle versmoor ons inheemse plante en bedreig die voortbestaan van sekere insekte, voëls, reptiele en soogdiere
5. Hulle neem landerye, plantasies en grasvelde in en ondermyn so die verbouing van gewasse en vrugte en verminder die beskikbaarheid van weiding vir diere.
6. Hulle is dikwels giftig vir diere sowel as vir mense.
7. Hulle verhoog die hitte en intensiteit van veldbrande.
8. Hulle verhoog die gevare van gronderosie en verspoelings deur plaaslike plantegroei te versmoor.



For further information/Vir verdere inligting:

Barbara Long	084-3035589	stuart@longsofmarloth.co.za
Joce Gordon	082-3065133	jocegordon@gmail.com
Genie Retief	082-4646618	africanantics@vodamail.co.za

www.marlothparkhonoraryrangers.co.za

PLANT WATERWISE INDIGENOUS.....NOT DESTRUCTIVE ALIEN INVASIVES

PLANT WATERSPARENDE INHEEMSE.....EN NIE VEROESTENDE VREEMDE INDRINGERS NIE

Sponsors: Marloth Park Honorary Rangers, Marlothii Conservancy, Rene Pretorius, Marloth Park Property Owners Association, Alf Felgate.